

Tolerance table BI-Vision²

1.) Positioning of the inlet within the laminated glass unit:

Length up to 3.000 mm recess all around 5 mm

Length up to 4.000 mm recess all around 8 mm

Length up to 5.000 mm recess all around 10 mm

2.) Positioning of the inlet at the drills and cutouts within the laminated glass unit:

Length up to 3.000 mm recess at drill/cutout 5 mm

Length up to 4.000 mm recess at drill/cutout 8 mm

Length up to 5.000 mm recess at drill/cutout 10 mm

3.) Positioning tolerance of the inlet:

Length up to 3.000 mm ± 2 mm

Length up to 4.000 mm ± 3 mm

Length up to 5.000 mm ± 4 mm

Application technique BGT
26.02.2010

BGT Bischoff Glastechnik AG
Alexanderstrasse 2, 75015 Bretten
Postfach 1140, 75001 Bretten
Telefon 07252/503-0
Telefax 07252/503-283
e-mail info@bgt-bretten.de
Internet www.bgt-bretten.de

Rechtsform Aktiengesellschaft
Sitz Bretten
Registergericht Mannheim HRB 240836

Bankverbindungen
Sparkasse Kraichgau
(BLZ 663 500 36) 05 020 350
Volksbank Bruchsal-Bretten eG
(BLZ 663 912 00) 409 600
Postbank
(BLZ 660 100 75) 0 125 631 755
Hypo Vereinsbank
(BLZ 66020286) 352 989 606

IBAN DE97 6635 0036 0005 0203 50
BIC BRUS DE 66
UST-IdNr. DE226561092
Steuer-Nr. 30060/51105

Aufsichtsratsvorsitzender
Léon Giesen

Vorstand
Heiko Probst (Vorsitzender)
Frank Tretter
Klaus Wittmann

